


# Korda



The Korda bracket, which was originally designed for the Piano luminaire, offers your project an elegant ensemble that is recognisable by its Piano-key-style design.

Although it was created for one specific luminaire, the elegant and modern design allows it to be combined with various Schröder luminaires to provide a stunning combination that contributes to creating attractive spaces that enhance the sense of safety and well-being for those in the city.

Composed of welded steel, it ensures flexibility and is compatible with almost any pole respecting local design guidelines.

The Korda range is available in all standard Schröder colours. Certified for the loads defined in EN40, the Korda range can be installed on poles for CE marking.


## Technical information

### GENERAL

Housing	Steel galvanized
Finish	Liquid painting
Colour	AKZO 900 grey sanded
	Any RAL or AKZO colour upon request

Pull wire included	Available upon request
Sea-side coating	Available upon request

### DIMENSIONS



## PRODUCT VARIANTS

Type	Length (mm)	Ordering code	To pole			Wall	To luminaire		
			Diameter	Tube Penetrating (male)	Enclosing (requiring spigot on pole) (female)		Diameter	Penetrating (male)	Enclosing (female)
Wall	500	SWD-3514.02/DPTS	-	-	-	X	Ø60	O	X
Wall	1000	SWD-3514.04/DPTS	-	-	-	X	Ø60	O	X
Double	250	SWD-3603.01/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Double	500	SWD-3603.02/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Double	1000	SWD-3603.04.00/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Double	250	SWD-3568.01.00/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Double	500	SWD-3568.02/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Double	1000	SWD-3568.04.00/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Simple	250	SWD-3449.02.00/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Simple	500	SWD-3449.01.01/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Simple	1000	SWD-3449.04.00/DPTS	Ø60	-	Ø48x300		Ø60	O	X
Simple	250	SWD-3570.01/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Simple	500	SWD-3570.02/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Simple	1000	SWD-3570.04/DPTS	Ø76	-	Ø60x300		Ø60	O	X
Double	250	SWD-3513.01/DPTS	Ø60	X	-		Ø60	O	X
Double	500	SWD-3513.02/DPTS	Ø60	X	-		Ø60	O	X
Double	1000	SWD-3513.04/DPTS	Ø60	X	-		Ø60	O	X
Simple	250	SWD-3507.01/DPTS	Ø60	X	-		Ø60	O	X
Simple	500	SWD-3507.02/DPTS	Ø60	X	-		Ø60	O	X
Simple	1000	SWD-3507.04/DPTS	Ø60	X	-		Ø60	O	X

x = standard available ; o = available upon request

Note: this information is to be combined with the specific technical drawing

## INFORMATION FOR EN40 CALCULATION

Name	For pole (enclosing & penetrating)	Type	Length (mm)	Centre of pressure on X (mm)	Centre of pressure on Z (mm)	Endpoint bracket on X (mounting point - mm)	Endpoint bracket on Z (mounting point - mm)	CxS (m <sup>2</sup> )	Weight (kg) - penetrating version
Korda simple	Ø60	Simple	250	-37	337	250	402	0.103	7
Korda double	Ø60	Double	250	0	340	250	402	0.08	7
Korda simple	Ø60	Simple	500	86	355	500	435	0.115	9.5
Korda double	Ø60	Double	500	0	365	500	435	0.187	12
Korda simple	Ø60	Simple	1000	203	369	1000	468	0.168	11.5
Korda double	Ø60	Double	1000	0	390	1000	468	0.2	17
Korda simple	Ø76	Simple	250	-37	337	250	402	0.114	8.1
Korda double	Ø76	Double	250	0	340	250	402	0.091	11.3
Korda simple	Ø76	Simple	500	86	355	500	435	0.126	9.2
Korda double	Ø76	Double	500	0	365	500	435	0.198	13.5
Korda simple	Ø76	Simple	1000	203	369	1000	468	0.179	11.3
Korda double	Ø76	Double	1000	0	390	1000	468	0.211	18.4

## LUMINAIRE COMPATIBILITY

Family	Type	Length (mm)	Pole Ø	Ordering Code	Ampera		Falco	Furyo	Senso	Teceo		Axia	CMS / Citea NG				Ymeira		Falco	Furyo	Hestia	Piano	Senso	Yoa Midi & Maxi
					Universal 48-60mm	Universal 60 penetrating	Universal 48-60mm	universal 60	Universal 60mm H0°/V5°	Universal 48-60mm	Universal 60mm penetrating	Lateral entry 42-60mm	Lateral entry 60 enclosing	Lateral entry 60 penetrating	Rotule Ø60mm penetrating	Rotule Ø60mm enclosing	Lateral entry 60	Lateral entry 60 penetrating	Lateral entry 48-60mm	lateral entry 60mm	Lateral entry enclosing	Lateral entry 48-60mm	All other lateral entry 48-60	Lateral entry 60mm
Korda	wall	500	-	SWD-3514.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	wall	1000	-	SWD-3514.04/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	250	Ø60	SWD-3603.01/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	500	Ø60	SWD-3603.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	1000	Ø60	SWD-3603.04.00/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	250	Ø76	SWD-3568.01.00/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	500	Ø76	SWD-3568.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	1000	Ø76	SWD-3568.04.00/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	250	Ø60	SWD-3449.02.00/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	500	Ø60	SWD-3449.01.01/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	1000	Ø60	SWD-3449.04.00/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	250	Ø76	SWD-3570.01/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	500	Ø76	SWD-3570.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	1000	Ø76	SWD-3570.04/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	250	Ø60	SWD-3513.01/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	500	Ø60	SWD-3513.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Double	1000	Ø60	SWD-3513.04/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	250	Ø60	SWD-3507.01/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	500	Ø60	SWD-3507.02/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X
Korda	Simple	1000	Ø60	SWD-3507.04/DPTS	X	O	X	X	X	X	O	X	X	O	O	X	X	O	X	X	O	X	X	X

x = standard available - o = available upon request

